Phone +49 (0) 5121 2893390

Fax +49 (0) 5121 2893367

E-mail info@heyl.de

Internet www.heyl.de



# Safety data sheet according to 1907/2006/EC

Printing date 19.09.2019 Version number 11 Revision: 19.09.2019

# SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: Duroval 1 Tropfen = 1 °f
- · UFI: QNSQ-E4FD-H004-CPKE
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation:

Reagent for analysis

EuPCS: PC-TEC-19 Reagents and laboratory chemical

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Gebrüder Heyl

Analysentechnik GmbH & Co. KG

Orleansstraße 75 b

D-31135 Hildesheim

· Further information obtainable from: product safety department

1.4 Emergency telephone number:

Giftinformationszentrum Nord Phone +49 (0) 551 19240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Labelling of packages where the contents do not exceed 125 ml

Hazard pictograms



· Signal word Warning

(Contd. on page 2)

(Contd. of page 1)



# Safety data sheet according to 1907/2006/EC

Printing date 19.09.2019 Version number 11 Revision: 19.09.2019

Trade name: Duroval 1 Tropfen = 1 °f

· Hazard statements Void

- · Precautionary statements Void
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of substances listed below with nonhazardous additions according to Regulation (EC) No 1272/2008.

| · Dangerous components:   |   |          |
|---|---|----------|
| CAS: 110-97-4<br>EINECS: 203-820-9<br>Index number: 603-083-00-7<br>Reg.nr.: 01-2119475444-34 | 1,1'-iminodipropan-2-ol<br>◆ Eye Irrit. 2, H319   | 10 – 25% |
| CAS: 15708-48-2<br>EINECS: 239-803-8  | Ethylendiamintetraacetic acid dipotassiummagnesium salt  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 | 1 – 2.5% |

<sup>·</sup> SVHC Not applicable.

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture Nitrogen oxides (NOx)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

ΕU



Printing date 19.09.2019 Version number 11 Revision: 19.09.2019

Trade name: Duroval 1 Tropfen = 1 °f

(Contd. of page 2)

#### SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clean the affected area carefully; suitable cleaners are:

Warm water

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

- · Recommended storage temperature: 15 25 °C
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Respiratory protection:

Use suitable respiratory protective device when aerosol or mist is formed. Filter: Type A

(Contd. on page 4)



Printing date 19.09.2019 Version number 11 Revision: 19.09.2019

Trade name: Duroval 1 Tropfen = 1 °f

(Contd. of page 3)

#### · Protection of hands:



Protective gloves

Wear gloves according to EN 374.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq$  0.4 mm Value for the permeation: Level = 6 (> 480 min)

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.12 mm Value for the permeation: Level = 2 (> 30 min)

Eye protection:



Tightly sealed goggles according to EN 166

· Body protection: Protective work clothing

#### SECTION 9: Physical and chemical properties

| · 9.1 Information on basic physical and chemical properties<br>· General Information<br>· Appearance:                            |                             |  |  |  |
|--|-----------------------------|--|--|--|
| Form:  | Fluid                       |  |  |  |
| Colour:  | Green                       |  |  |  |
| · Odour:   | Characteristic              |  |  |  |
| · Odour threshold:   | Not determined.             |  |  |  |
| · pH-value (100 g/l) at 20 °C:   | 10.1                        |  |  |  |
| <ul> <li>Change in condition</li> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling range:</li> </ul> | Undetermined. Undetermined. |  |  |  |
| · Flash point:   | Undetermined.               |  |  |  |
| · Flammability (solid, gas):   | Not applicable.             |  |  |  |
| · Ignition temperature:  | Not determined.             |  |  |  |
| · Decomposition temperature:   | Not determined.             |  |  |  |

(Contd. on page 5)



Printing date 19.09.2019 Version number 11 Revision: 19.09.2019

Trade name: Duroval 1 Tropfen = 1 °f

|   | (Contd. of page                               |  |
|---|---|--|
| · Auto-ignition temperature:  | Product is not selfigniting.                  |  |
| · Explosive properties:   | Product does not present an explosion hazard. |  |
| · Explosion limits:   |   |  |
| Lower:  | Not determined.                               |  |
| Upper:  | Not determined.                               |  |
| · Vapour pressure:  | Not determined.                               |  |
| · Density at 20 °C:   | 1.11 g/cm³                                    |  |
| Relative density  | Not determined.                               |  |
| · Vapour density  | Not determined.                               |  |
| Evaporation rate  | Not determined.                               |  |
| · Solubility in / Miscibility with                                    |   |  |
| water:  | Fully miscible.                               |  |
| Partition coefficient: n-octanol/water:                               | Not determined.                               |  |
| · Viscosity:  |   |  |
| Dynamic:  | Not determined.                               |  |
| Kinematic:  | Not determined.                               |  |
| <b>2 Other information</b> No further relevant information available. |   |  |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

Exothermic neutralisation reaction with acids.

Under certain conditions possible formation of nitrosamines in the presence of nitrites or reagents causing nitrosation.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Acids, nitrites, reagents causing nitrosation.

Do not use tools made of aluminium or copper or their alloys.

10.6 Hazardous decomposition products: Nitrogen oxides

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC5 | · LD/LC50 values relevant for classification:                           |                        |  |  |  |
|----------|---|------------------------|--|--|--|
| CAS: 11  | CAS: 110-97-4 1,1'-iminodipropan-2-ol                                   |                        |  |  |  |
|          |   | 4,770 mg/kg (rat)      |  |  |  |
|          |   | > 8,000 mg/kg (rabbit) |  |  |  |
| CAS: 10  | CAS: 102-71-6 Triethanolamine   |                        |  |  |  |
|          |   | 6,400 mg/kg (rat)      |  |  |  |
| Dermal   | LD50  | > 2,000 mg/kg (rabbit) |  |  |  |
| CAS: 18  | CAS: 15708-48-2 Ethylendiamintetraacetic acid dipotassiummagnesium salt |                        |  |  |  |
| Oral     | LD50  | > 2,000 mg/kg (rat)    |  |  |  |

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 19.09.2019 Version number 11 Revision: 19.09.2019

Trade name: Duroval 1 Tropfen = 1 °f

(Contd. of page 5)

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

| 14.1 UN-Number                  |      |  |
|---------------------------------|------|--|
| ADR, ADN, IMDG, IATA            | Void |  |
| 14.2 UN proper shipping name    |      |  |
| ADR, ADN, İMDG, İATA            | Void |  |
| 14.3 Transport hazard class(es) |      |  |
| ADR, ADN, IMDG, IATA            |      |  |
| Class                           | Void |  |

(Contd. on page 7)



Printing date 19.09.2019 Version number 11 Revision: 19.09.2019

Trade name: Duroval 1 Tropfen = 1 °f

|   | (Contd. of page 6                                    |
|---|--|
| · 14.4 Packing group<br>· ADR, IMDG, IATA                                   | Void   |
| · 14.5 Environmental hazards:<br>· Marine pollutant:                        | No   |
| · 14.6 Special precautions for user   | Not applicable.                                      |
| · 14.7 Transport in bulk according to Annex I<br>of Marpol and the IBC Code | Not applicable.                                      |
| · Transport/Additional information:   | Not dangerous according to the above specifications. |
| · UN "Model Regulation":  | Void   |

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment; A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Department issuing SDS: product safety department.

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

(Contd. on page 8)



Printing date 19.09.2019 Version number 11 Revision: 19.09.2019

Trade name: Duroval 1 Tropfen = 1 °f

(Contd. of page 7)

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 · \* Data compared to the previous version altered.