

Safety data sheet according to 1907/2006/EC Version number 8

Printing date 28.04.2020

Revision: 28.04.2020

SECTION 1: Identification of the substance/mixture and of the company. undertaking · 1.1 Product identifier · Trade name: Testoval Ammonium Test C · UFI: J7TV-9T18-PC0Y-FYTG · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the preparation: Reagent for analysis EuPCS: PC-TEC-19 Reagents and laboratory chemical · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Gebrüder Heyl Phone +49 (0) 5121 2893390 Analysentechnik GmbH & Co. KG Fax +49 (0) 5121 2893367 Orleansstraße 75 b E-mail info@heyl.de D-31135 Hildesheim Internet www.heyl.de · Further information obtainable from: product safety department · 1.4 Emergency telephone number: Giftinformationszentrum Nord Phone +49 (0) 551 19240 SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. P302+P352 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. (Contd. on page 2)

EU -



Safety data sheet according to 1907/2006/EC

Version number 8

Revision: 28.04.2020

(Contd. of page 1)

Trade name: Testoval Ammonium Test C

• Labelling of packages where the contents do not exceed 125 ml • Hazard pictograms



• Signal word Warning

· Hazard statements Void

- [•] 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description:

Mixture of substances listed below with nonhazardous additions according to Regulation (EC) No 1272/2008.

· Dangerous components:		
CAS: 89-83-8 EINECS: 201-944-8 Index number: 604-032-00-1 Reg.nr.: 01-2119511177-46	thymol Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302	≥ 1 – < 2.5%
CAS: 14402-89-2 EINECS: 238-373-9	disodium pentacyanonitrosylferrate left Acute Tox. 3, H301	≤ 1%
· SVHC Not applicable		

· SVHC Not applicable.

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.
 After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
 After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
 After swallowing: A person vomiting while laying on their back should be turned onto their side. Rinse out mouth and then drink plenty of water.
 - Seek medical treatment.
 - **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

FI



Safety data sheet according to 1907/2006/EC

Version number 8

Revision: 28.04.2020

Trade name: Testoval Ammonium Test C

(Contd. of page 2)

SECTION 5: Firefighting measures

[·] 5.1 Extinguishing media

- [.] Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **5.2 Special hazards arising from the substance or mixture**
- Nitrogen oxides (NOx) Hydrogen cyanide (HCN)

• 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear personal protection equipment. Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Clean the affected area carefully; suitable cleaners are:
- Warm water
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Prevent formation of aerosols. Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed. Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.
- · Recommended storage temperature: 15 25 °C
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

FU



Safety data sheet according to 1907/2006/EC

Version number 8

Revision: 28.04.2020

Trade name: Testoval Ammonium Test C

(Contd. of page 3) · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Respiratory protection: Use suitable respiratory protective device when aerosol or mist is formed. Filter: Type A-P2 Protection of hands: Protective gloves Wear gloves according to EN 374. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Check protective gloves prior to each use for their proper condition. Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. For the permanent contact gloves made of the following materials are suitable: Chloroprene rubber, CR Recommended thickness of the material: > 0.75 mm Value for the permeation: Level = 6 (> 480 min) As protection from splashes gloves made of the following materials are suitable: Chloroprene rubber, CR Recommended thickness of the material: \geq 0.75 mm Value for the permeation: Level = 6 (> 480 min) Eye protection: Tightly sealed goggles according to EN 166 Body protection: Protective work clothing **SECTION 9: Physical and chemical properties**

General Information	sical and chemical properties	
· Appearance:		
Form:	Fluid	
Colour:	Brown	
· Odour:	Phenol-like	
· Odour threshold:	Not determined.	

- EU



Safety data sheet according to 1907/2006/EC

Version number 8

Revision: 28.04.2020

Trade name: Testoval Ammonium Test C

	(Contd. of page 4)
· pH-value (50 g/l) at 20 °C:	5.2
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. : Undetermined.
· Flash point:	Undetermined.
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1.12 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- To avoid thermal decomposition do not overheat.
- 10.3 Possibility of hazardous reactions Reacts with strong acids.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids.
- 10.6 Hazardous decomposition products: Hydrogen cyanide (prussic acid)

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

	CAS: 89-83-8 thymol		
	Oral	LD50	980 mg/kg (rat)
	Dermal	LD50	> 2,000 mg/kg (rat)
	Inhalative	LC50/7 h	> 10 mg/l (mouse)
			• • • •

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC

Version number 8

Printing date 28.04.2020

Revision: 28.04.2020

(Contd. of page 5)

Trade name: Testoval Ammonium Test C

CAS: 14402-89-2 disodium pentacyanonitrosylferrate

Oral LD50 99 mg/kg (rat)

Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small guantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informa	ation	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
		(Contd. on page



Safety data sheet according to 1907/2006/EC

Version number 8

Revision: 28.04.2020

Trade name: Testoval Ammonium Test C

	(Contd. of page 6
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Annex In of Marpol and the IBC Code 	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• National regulations:

· Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: product safety department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic (Contd. on page 8)

[·] Directive 2012/18/EU



Safety data sheet according to 1907/2006/EC

Version number 8

Revision: 28.04.2020

Trade name: Testoval Ammonium Test C

(Contd. of page 7)

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - oral – Category 3 Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * * Data compared to the previous version altered.

EU -