Revision: 07.05.2021

Phone +49 (0) 5121 2893390

Internet www.heylanalysis.de

Fax +49 (0) 5121 2893367 E-mail info@heylanalysis.de



Safety data sheet according to 1907/2006/EC

Printing date 07.05.2021

Version number 16 (replaces version 15)

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: Testomat 2000 Indikator TH 2100
- · UFI: HP9S-S4PX-C00A-URWS
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation:

Reagent for analysis

EuPCS: PC-TEC-19 Reagents and laboratory chemical

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Gebrüder Heyl

Analysentechnik GmbH & Co. KG

Orleansstraße 75 b

D-31135 Hildesheim

· Further information obtainable from: product safety department

1.4 Emergency telephone number:

Giftinformationszentrum Nord Phone +49 (0) 551 19240

1 110116 149 (0) 331 19240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Labelling of packages where the contents do not exceed 125 ml

· Hazard pictograms



· Signal word Warning



Printing date 07.05.2021

Version number 16 (replaces version 15)

Trade name: Testomat 2000 Indikator TH 2100

(Contd. of page 1)

Revision: 07.05.2021

- · Hazard statements Void
- · Precautionary statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of substances listed below with nonhazardous additions according to Regulation (EC) No 1272/2008.

· Dangerous components:		
CAS: 25322-68-3 NLP: 500-038-2 Reg.nr.: 01-2119958801-32	Polyethylene glycol substance with a Community workplace exposure limit	50 – 100%
CAS: 110-97-4 EINECS: 203-820-9 Index number: 603-083-00-7 Reg.nr.: 01-2119475444-34	1,1'-iminodipropan-2-ol ◆ Eye Irrit. 2, H319	10 – 25%
CAS: 102-71-6 EINECS: 203-049-8 Reg.nr.: 01-2119486482-31	Triethanolamine substance with a Community workplace exposure limit	2.5 – 10%
CAS: 60-00-4 EINECS: 200-449-4 Index number: 607-429-00-8 Reg.nr.: 01-2119486399-18	edetic acid Eye Irrit. 2, H319	≥ 2.5 – < 10%
CAS: 15708-48-2 EINECS: 239-803-8	Ethylendiamintetraacetic acid dipotassiummagnesium salt ③ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	1 – 2.5%

- · SVHC Not applicable.
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 07.05.2021

Version number 16 (replaces version 15)

Trade name: Testomat 2000 Indikator TH 2100

(Contd. of page 2)

Revision: 07.05.2021

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clean the affected area carefully; suitable cleaners are:

Warm water

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

- Recommended storage temperature: 15 25 °C
- · Storage class:

Storage class 10: Combustible liquids that cannot be assigned to any other storage classes (TRGS 510)

· 7.3 Specific end use(s) No further relevant information available.

DE EN-

(Contd. on page 4)



Printing date 07.05.2021

Version number 16 (replaces version 15)

Trade name: Testomat 2000 Indikator TH 2100

(Contd. of page 3)

Revision: 07.05.2021

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
CAS: 25322-68-3	Polyethylene glycol	
	Long-term value: 200 E mg/m³ 2(II);DFG, Y	
CAS: 102-71-6 T	riethanolamine	
AGW (Germany)	Long-term value: 1 E mg/m³	

CAS: 60-00-4 edetic acid

MAK (Germany) vgl.Abschn.llb

Regulatory information

AGW (Germany): TRGS 900

MAK (Germany): MAK- und BAT-Liste

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

1(I);DFG, Y

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

· Respiratory protection:

Use suitable respiratory protective device when aerosol or mist is formed. Filter: Type A

· Hand protection



Protective gloves

Wear gloves according to EN 374.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.4 mm

Value for the permeation: Level = 6 (> 480 min)

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.12 mm Value for the permeation: Level = 2 (> 30 min)

(Contd. on page 5)



Printing date 07.05.2021

Revision: 07.05.2021 Version number 16 (replaces version 15)

Trade name: Testomat 2000 Indikator TH 2100

(Contd. of page 4)

· Eye/face protection



Tightly sealed goggles according to EN 166

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Green

· Odour: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined. · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Undetermined.

· Auto-ignition temperature: Product is not selfigniting.

· Decomposition temperature: Not determined.

· pH (100 g/l) at 20 °C 9.7

Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

Not determined. value) · Vapour pressure: Not determined.

Density and/or relative density

1.11 g/cm³ · Density at 20 °C: · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Not determined.

· Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes **Explosives** Void · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void

(Contd. on page 6)

Revision: 07.05.2021



Safety data sheet according to 1907/2006/EC

Printing date 07.05.2021 Version nur

Version number 16 (replaces version 15)

Trade name: Testomat 2000 Indikator TH 2100

		(Contd. of page 5)
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

Exothermic neutralisation reaction with acids.

Under certain conditions possible formation of nitrosamines in the presence of nitrites or reagents causing nitrosation.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Acids, nitrites, reagents causing nitrosation.

Do not use tools made of aluminium or copper or their alloys.

· 10.6 Hazardous decomposition products: Nitrogen oxides

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
CAS: 25322-68-3 Polyethylene glycol		
Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)
CAS: 110-97-4 1,1'-iminodipropan-2-ol		
Oral	LD50	4,770 mg/kg (rat)
Dermal	LD50	> 8,000 mg/kg (rabbit)
CAS: 102-71-6 Triethanolamine		
Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 8,000 mg/kg (rabbit)
CAS: 60-00-4 edetic acid		
Oral	LD50	> 2,000 – 4,500 mg/kg (rat)
Inhalative	LC50/6 h	1,000 – 5,000 mg/l (rat)
CAS: 157	08-48-2 Et	hylendiamintetraacetic acid dipotassiummagnesium salt
Oral	LD50	> 2,000 mg/kg (rat)
 01.		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 07.05.2021

Version number 16 (replaces version 15)

Trade name: Testomat 2000 Indikator TH 2100

(Contd. of page 6)

Revision: 07.05.2021

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
· Class	Void	

(Contd. on page 8)

Revision: 07.05.2021



Safety data sheet according to 1907/2006/EC

Printing date 07.05.2021

Version number 16 (replaces version 15)

Trade name: Testomat 2000 Indikator TH 2100

	(Contd. of page
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk accordin IMO instruments	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· Technical instructions (air):

Class	Share in %
NK	4.5

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Department issuing SDS: product safety department.

(Contd. on page 9)



Printing date 07.05.2021

Version number 16 (replaces version 15)

Trade name: Testomat 2000 Indikator TH 2100

(Contd. of page 8)

Revision: 07.05.2021

· Date of previous version: 27.06.2019 Version number of previous version: 15

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

DE_EN