

Printing date 01.06.2021

Version number 9 (replaces version 8)

Revision: 01.06.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking • 1.1 Product identifier

Trade name: Duroval Säurekapazität K S 4,3 Indikator

- · UFI: SPTQ-G4R5-6002-9SK6
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the preparation: Reagent for analysis
 EuPCS: PC-TEC-19 Reagents and laboratory chemical
- **1.3 Details of the supplier of the safety data sheet** • **Manufacturer/Supplier:** Gebrüder Heyl Analysentechnik GmbH & Co. KG Orleansstraße 75 b D-31135 Hildesheim

Phone +49 (0) 5121 2893390 Fax +49 (0) 5121 2893367 E-mail info@heylanalysis.de Internet www.heylanalysis.de

- · Further information obtainable from: product safety department
- **1.4 Emergency telephone number:** Giftinformationszentrum Nord Phone +49 (0) 551 19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- [.] 3.2 Mixtures
- · Description:

Mixture of substances listed below with nonhazardous additions according to Regulation (EC) No 1272/2008.

- Propane-1,2-diol CAS 57-55-6
- · Dangerous components: Void
- SVHC Not applicable.
- Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

DE EN



Printing date 01.06.2021

Version number 9 (replaces version 8)

Revision: 01.06.2021

Trade name: Duroval Säurekapazität K S 4,3 Indikator

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. *After swallowing:*

A person vomiting while laying on their back should be turned onto their side. Rinse out mouth and then drink plenty of water. Seek medical treatment.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** Wear personal protection equipment.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Clean the affected area carefully; suitable cleaners are: Warm water

6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Prevent formation of aerosols.
- Ensure good ventilation/exhaustion at the workplace. Information about fire - and explosion protection:
- Fumes can combine with air to form an explosive mixture. Keep ignition sources away - Do not smoke.

(Contd. on page 3)



Printing date 01.06.2021

Version number 9 (replaces version 8)

Revision: 01.06.2021

Trade name: Duroval Säurekapazität K S 4,3 Indikator

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- *Further information about storage conditions:* Keep container tightly sealed.
- Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.
- Recommended storage temperature: 15 25 °C
- · Storage class:
- Storage class 10: Combustible liquids that cannot be assigned to any other storage classes (TRGS 510)
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 57-55-6 Propylene glycol

MAK (Germany) als Dampf und Aerosol;vgl.Abschn.Ilb und Xc

- · Regulatory information MAK (Germany): MAK- und BAT-Liste
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Respiratory protection:

Use suitable respiratory protective device when aerosol or mist is formed. Filter: Type A

- Hand protection
- Wear gloves according to EN 374.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.12 mm Value for the permeation: Level = 6 (> 480 min)

• As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.12 mm

(Contd. on page 4)



Printing date 01.06.2021 Ver

Version number 9 (replaces version 8)

Revision: 01.06.2021

Trade name: Duroval Säurekapazität K S 4,3 Indikator

Value for the permeation: Level = 6 (> 480 min)

· Eye/face protection Goggles according to EN 166 recommended during refilling

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and cher	mical properties
• General Information	nical properties
· Physical state	Fluid
· Colour:	Dark blue
· Odour:	
	Odourless Not determined
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	Undetermined.
· Flammability	Not applicable.
 Lower and upper explosion limit 	
· Lower:	2.6 Vol %
· Upper:	12.6 Vol %
· Flash point:	Undetermined.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH (3 g/l) at 20 °C	neutral
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Dynamic: · Solubility	
•	F ully, which the
water:	Fully miscible.
Partition coefficient n-octanol/water (log	
value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	
· Density at 20 °C:	1.03 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
[•] 9.2 Other information	
· Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Not determined.
• Explosive properties:	Product is not explosive. However, formation o
	explosive air/vapour mixtures are possible.
[.] Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical haza	ard
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
[.] Pyrophoric liquids	Void
Pyrophoric solids	Void
	(Contd. on page §

(Contd. of page 3)



Printing date 01.06.2021

Version number 9 (replaces version 8)

Revision: 01.06.2021

Trade name: Duroval Säurekapazität K S 4,3 Indikator

		(Contd. of page 4)
· Self-heating substances and mixtures	Void	
 Substances and mixtures, which emit 		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- To avoid thermal decomposition do not overheat.
- 10.3 Possibility of hazardous reactions

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised. Reacts with oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Flammable gases/vapours

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- [•] 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)



Printing date 01.06.2021

Safety data sheet according to 1907/2006/EC

Version number 9 (replaces version 8)

Revision: 01.06.2021

Trade name: Duroval Säurekapazität K S 4,3 Indikator

(Contd. of page 5)

[.] 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	ng to Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.

(Contd. on page 7)

DE_EN-



Printing date 01.06.2021

Version number 9 (replaces version 8)

Revision: 01.06.2021

Trade name: Duroval Säurekapazität K S 4,3 Indikator

10 ntd of 2

None of
Annex
None of
Nationa
Technic
Class
NK
SECTI
This info for any s
Departr Date of Version