


Safety data sheet according to 1907/2006/EC

Printing date 18.05.2021

Version number 11 (replaces version 10)

Revision: 18.05.2021



(Contd. on page 2)



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 18.05.2021

Trade name: Testomat-Indikator Typ C 30

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description:

Mixture of substances listed below with nonhazardous additions according to Regulation (EC) No 1272/2008.

Propane-1,2-diol CAS 57-55-6

CAS: 7647-01-0	hydrogen chloride	1 – 2.5
EINECS: 231-595-7	Skin Corr. 1B, H314	
Index number: 017-002-00-2		
Reg.nr.: 01-2119484862-27	Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25$	
	Skin Irrit. 2; H315: 10 % ≤ C	
	< 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C <	
	25 %	
	STOT SE 3; H335: C ≥ 10 %	

SVHC Not applicable.

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• **5.2 Special hazards arising from the substance or mixture** Can form explosive gas-air mixtures.

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)

DE EN



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 18.05.2021

Trade name: Testomat-Indikator Typ C 30

(Contd. of page 2)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear personal protection equipment.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Clean the affected area carefully; suitable cleaners are:

- Warm water
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about fire and explosion protection: Fumes can combine with air to form an explosive mixture. Keep ignition sources away - Do not smoke.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.
- Recommended storage temperature: 15 25 °C
- · Storage class:

Storage class 10: Combustible liquids that cannot be assigned to any other storage classes (TRGS 510)

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 57-55-6 Propylene glycol

MAK (Germany) als Dampf und Aerosol;vgl.Abschn.IIb und Xc

CAS: 7647-01-0 hydrogen chloride

AGW (Germany) Long-term value: 3 mg/m³, 2 ppm 2(I);DFG, EU, Y

· Regulatory information

MAK (Germany): MAK- und BAT-Liste

AGW (Germany): TRGS 900

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

(Contd. on page 4)

DE_EN-



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 18.05.2021

Trade name: Testomat-Indikator Typ C 30

	(Contd. of page 3)
Individual protection measures, such as pers	sonal protective equipment
General protective and hygienic measures:	
The usual precautionary measures are to be adl Keep away from foodstuffs, beverages and feed	
Immediately remove all soiled and contaminated	
Wash hands before breaks and at the end of wo	
Avoid contact with the eyes and skin.	
Do not eat, drink, smoke or sniff while working.	
Respiratory protection:	
Use suitable respiratory protective device when	aerosol or mist is formed. Filter: Type A, E
· Hand protection	
μ.	
Protective gloves	
Mean gloves according to EN 274	
Wear gloves according to EN 374.	and resistant to the product/ the substance/ the
preparation.	
	of the penetration times, rates of diffusion and the
degradation	
Check protective gloves prior to each use for the	
Preventive skin protection by use of skin-protect	
After use of gloves apply skin-cleaning agents a	nd skin cosmetics.
· Material of gloves The selection of the suitable gloves does not on	ly depend on the material, but also on further marks
of quality and varies from manufacturer to manu	
· Penetration time of glove material	
	but by the manufacturer of the protective gloves and
has to be observed.	
For the permanent contact gloves made of the	e following materials are suitable:
Nitrile rubber, NBR	
Recommended thickness of the material: \geq 0.4 r. Value for the permeation: Level = 6 (> 480 min)	1111
• As protection from splashes gloves made of	the following materials are suitable:
Nitrile rubber, NBR	
Recommended thickness of the material: ≥ 0.12	mm
Value for the permeation: Level = 4 (> 120 min)	
 Eye/face protection 	
Tightly sealed goggles according to E	N 166
· Body protection: Protective work clothing	
SECTION 9: Physical and chemical p	roperties
0.4 lafe mastice and basis abusis land shami	
 9.1 Information on basic physical and chemic General Information 	cal properties
· Physical state	Fluid
· Colour:	Yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.

· Boiling point or initial boiling point and boiling range

Undetermined.



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 18.05.2021

Trade name: Testomat-Indikator Typ C 30

	(Contd. of page
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	2.6 Vol %
Upper:	12.6 Vol %
Flash point:	Undetermined.
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pH (10 g/l) at 20 °C	2
Viscosity:	2
	Not determined
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.03 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information Important information on protection of hea	llth
and environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haza	
classes	
Explosives	Void
	Void
Flammable gases Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void Void
	V() (1
Organic peroxides Corrosive to metals Desensitised explosives	May be corrosive to metals. Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 18.05.2021

(Contd. of page 5)

Trade name: Testomat-Indikator Typ C 30

• **10.3 Possibility of hazardous reactions** Reacts with metals forming hydrogen.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Hydrogen chloride (HCl)

Flammable gases/vapours

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 7647-01-0 hydrogen chloride

Inhalative LC50/5 min 40,989 ppm (rat)

LC50/30 min 4,701 ppm (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Disposal must be made according to official regulations.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 18.05.2021

Trade name: Testomat-Indikator Typ C 30

(Contd. of page 6)

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR. IMDG. IATA UN1789 14.2 UN proper shipping name · ADR 1789 HYDROCHLORIC ACID mixture · IMDG, IATA HYDROCHLORIC ACID mixture · 14.3 Transport hazard class(es) · ADR, IMDG, IATA 8 Corrosive substances. · Class · Label 8 · 14.4 Packing group · ADR, IMDG, IATA 111 · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 · EMS Number: F-A.S-B Segregation groups Strong acids Stowage Category F · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: Void · ADR · Limited quantities (LQ) 5L • Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 тI 3 · Transport category · Tunnel restriction code Ε · IMDG · Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 тI (Contd. on page 8)

DE_EN-



Safety data sheet according to 1907/2006/EC

Printing date 18.05.2021

Version number 11 (replaces version 10)

Revision: 18.05.2021

Trade name: Testomat-Indikator Typ C 30

(Contd. of page 7)

· UN "Model Regulation":

UN 1789 HYDROCHLORIC ACID MIXTURE, 8, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.


· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• National regulations:

• *Information about limitation of use: Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.*

Technical instructions (air):



• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

- · Department issuing SDS: product safety department.
- Date of previous version: 12.09.2019
- Version number of previous version: 10
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

- ICAO: International Civil Aviation Organisation
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 18.05.2021

Trade name: Testomat-Indikator Typ C 30

(Contd. of page 8)

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * * Data compared to the previous version altered.

DE_EN