Printing date 26.06.2025

Version number 13 (replaces version 12)

Revision: 26.06.2025

1.1 Product identifier		
Trade name: Testomat 2	000 Indikator TP 2010	
UFI: 8A9U-CEJE-K006-4A5F	-	
1.2 Relevant identified user No further relevant information Application of the substant Reagent for analysis EuPCS: PC-TEC-19 Reagen	ce / the preparation:	ndvised against
1.3 Details of the supplier of Manufacturer/Supplier: Gebrüder Heyl Analysentechnik GmbH & Co Orleansstraße 75 b D-31135 Hildesheim Further information obtain	P. KG	Phone +49 (0) 5121 2893 Fax +49 (0) 5121 2893 E-mail info@heylanalysis hternet www.heylanalysis
1.4 Emergency telephone r Giftinformationszentrum Nord Phone +49 (0) 551 19240		
SECTION 2: Hazards in	dentification	
Hazard pictograms Void Signal word Void Hazard statements Void Labelling of packages whe Hazard pictograms Void Signal word Void	ulation (EC) No 1272/2008 Void re the contents do not exceed 125 ml	
Hazard statements Void 2.3 Other hazards Results of PBT and vPvB a PBT: Not applicable. vPvB: Not applicable. Determination of endocrine	ssessment e-disrupting properties Not applicable.	
SECTION 3: Composit	ion/information on ingredients	
3.2 Mixtures Description:	below with nonhazardous additions accor	ding to Regulation (EC)
Mixture of substances listed 1272/2008. Hydrochloric acid CAS 7647-	01-0 -170	
1272/2008.		
1272/2008. Hydrochloric acid CAS 7647- Dangerous components: CAS: 25322-68-3	Polyethylene glycol substance with a Community workplace exp	posure limit



Safety data sheet Wasser ist unser Element according to Regulation (EC) No 1907/2006

Printing date 26.06.2025

Version number 13 (replaces version 12)

Revision: 26.06.2025

Trade name: Testomat 2000 Indikator TP 2010

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

- SECTION 4: First aid measures
- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing:
- A person vomiting while laying on their back should be turned onto their side. Rinse out mouth and then drink plenty of water. Seek medical treatment.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.
- SECTION 5: Firefighting measures
- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Hydrogen chloride (HCI)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- SECTION 6: Accidental release measures
- · 6.1 Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Clean the affected area carefully; suitable cleaners are: Warm water 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- SECTION 7: Handling and storage
- · 7.1 Precautions for safe handling No special measures required.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

(Contd. on page 3) DE_EN



Printing date 26.06.2025

Version number 13 (replaces version 12)

Trade name: Testomat 2000 Indikator TP 2010

(Contd. of page 2)

· Information about storage in one common storage facility: Store away from foodstuffs. · Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

· Recommended storage temperature: 15 - 25 °C

· Storage class:

Storage class 10: Combustible liquids that cannot be assigned to any other storage classes (TRGS 510)

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 25322-68-3 Polyethylene glycol

AGW (Germany) Long-term value: 200 E mg/m³ 2(11);DFG, Y

- · Regulatory information AGW (Germany): TRGS 900
- Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Respiratory protection:

Use suitable respiratory protective device when aerosol or mist is formed. Filter: Type A, E In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Wear gloves according to EN 374.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable: Nitrile rubber. NBR Recommended thickness of the material: > 0.4 mm

Value for the permeation: Level = 6 (> 480 min)

As protection from splashes gloves made of the following materials are suitable: Nitrile rubber. NBR

Recommended thickness of the material: > 0.12 mm Value for the permeation: Level = 4 (> 120 min)

(Contd. on page 4) DE EN



GEBRÜDER HEYL

Analysentechnik GmbH & Co. KG Wasser ist unser Element According to Regulation (EC) No 1907/2006

Printing date 26.06.2025

Version number 13 (replaces version 12)

Revision: 26.06.2025

(Contd. of page 3)

Trade name: Testomat 2000 Indikator TP 2010

• *Eye/face protection* Goggles according to EN 166 recommended during refilling • *Body protection:* Protective work clothing

SECTION 9: Physical and chemical	properties
9.1 Information on basic physical and cher	mical properties
General Information	
Physical state	Liquid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Undetermined.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH at 20 °C	2.3
Viscosity:	
Kinematic:	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	Not determined.
Density at 20 °C:	1.13 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
• •	
9.2 Other information	
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOCV (CH)	0.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void



Printing date 26.06.2025

Version number 13 (replaces version 12)

Revision: 26.06.2025

Trade name: Testomat 2000 Indikator TP 2010

		(Contd. of page 4
· Self-heating substances and mixtures · Substances and mixtures, which emit	Void	
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with metals forming hydrogen.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Hydrogen chloride (HCI)

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 25322-68-3 Polyethylene glycol

Oral LD50 > 2,000 mg/kg (rat)

Dermal LD50 > 2,000 mg/kg (rat)

Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

(Contd. on page 6) DE_EN



Safety data sheet Wasser ist unser Element according to Regulation (EC) No 1907/2006

Printing date 26.06.2025

Version number 13 (replaces version 12)

Revision: 26.06.2025

Trade name: Testomat 2000 Indikator TP 2010

(Contd. of page 5)

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user 	Not applicable.
 14.7 Maritime transport in bulk according t IMO instruments 	to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

(Contd. on page 7) DE EN

3

3



GEBRÜDER HEYL Analysentechnik GmbH & Co. KG

Safety data sheet

Wasser ist unser Element according to Regulation (EC) No 1907/2006

Printing date 26.06.2025

Version number 13 (replaces version 12)

Revision: 26.06.2025

Trade name: Testomat 2000 Indikator TP 2010

(Contd. of pa	age 6)
• Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals	
None of the ingredients is listed.	
DIPECTIVE 2011/65/EII on the restriction of the use of cortain bazardous substance	ne in

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

CAS: 7647-01-0 hydrogen chloride

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 7647-01-0 hydrogen chloride

· REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

· National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Department issuing SDS: product safety department

Date of previous version: 21.05.2021

- · Version number of previous version: 12
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.